
Name: \_\_\_\_\_

You have 50 minutes to complete Part 1 of the Exam.

IA 1 H	]																0 He
1.008	ПА											ШΑ	IVA	VA	VIA	VΠA	4.003
3 <b>Li</b> 6.941	4 Be 9.012											5 <b>B</b> 10.81	6 C 12.01	7 <b>N</b> 14.01	8 0 16.00	9 <b>F</b> 19.00	10 Ne 20.18
11	12											13	14	15	16	17	18
Na 22.99	Mg 24.31	шв	IVB	VB	VВ	VПВ		VШВ		$\mathbf{B}$	шв	Al 26.98	Si 28.09	<b>P</b> 30.97	S 32.06	CI 35.45	Ar
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
<b>K</b>   39.10	<b>Ca</b>	Sc 44.96	<b>Ti</b> 47.90	<b>V</b> 50.94	Cr 52.00	Mn 54.94	Fe 55.85	Co 58.93	Ni 58.70	Cu 63.55	<b>Zn</b> 65.38	<b>Ga</b>	Ge 72.59	<b>As</b> 74.92	Se 78.96	Br 79.90	Kr 83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Ÿ	Źr	Nb	Мо	Tc	Ru	Rh	Pd	<b>Ag</b>	Cd	ĺ'n	Sn	Sb	Te	l ï l	Xe
85.47	87.62	88.91	91.22	92.91	95.94	(98)	101.1	102.9	106.4	107.9	112.4	114.8	118.7	121.8	127.6	126.9	131.3
55	56	57 ∗	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La	Hf	Ta	W	Re	Os	l Ir	Pt	Au	Hg	П	Pb	Bi	Po	At	Rn
132.9	137.3	138.9	178.5	180.9	183.9	186.2	190.2	192.2	195.1	197.0	200.6	204.4	207.2	209.0	(209)	(210)	(222)
87	88	89 ₩	104	105	106	107	108	109									
Fr (223)	Ra (226.0)	Ac (227)	Rf	Ha	Unh	Uns		Une									

* 58	59	60	61	62	63	64	65	66	67	68	69	70	71
Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dv	Но	Er	Tm	Yb	Lu
140.1	140.9	144.2	(145)	150.4	152.0	157.3	158.9	162.5	164.9		168.9	173.0	175.0
<b>₩ 90</b>	91	92	93	94	95	96	97	98	99	100	101	102	103
Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr 🛭
232.0		238.0	(244)	(242)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	(260)

1. (27 pts) Fill in the missing reagents or products, as appropriate. Be sure to indicate stereochemistry where relevant. For reactions missing the product(s), "no reaction" may be the correct answer.



2. (8 pts) Draw the mechanism for the reaction below. Do not show arrow-pushing for generation of any intermediates containing chromium.


3. (12 pts) The synthetic scheme below will <u>not</u> produce the desired product. Identify and explain the flaw(s) in each step. Then, propose a revised synthesis that will achieve the desired product. Assume that the substituent in the starting material has the same effects as an alkyl group.


4. (6 pts) The O-H bond in para-nitrophenol is significantly more acidic than that of meta-nitrophenol.

- a.) Is the pKa of para-nitrophenol higher or lower than the pKa of meta-nitrophenol? \_\_\_\_\_
- b.) Explain this observed difference in acidity. You can use the space next to each molecule to **draw the conjugate base of each**, and any other structures that aid your explanation.

CHEM 212 Spring 2023 Exam 1: Part 2

You have 50 minutes to complete Part 2 of the Exam.





1. (12 pts) Draw the mechanism for the reaction below. If you require an acid, use H-A; if you require a base, use A<sup>-</sup>.

2. (5 pts) Ketones react with aqueous hydrogen cyanide to produce cyanohydrins, instead of the hydrate that is obtained when the ketone reacts with aqueous  $H_2SO_4$ . Propose a mechanism for the reaction below.

$$pK_a = 9.2$$

$$+ CN$$


$$H_2O$$

$$+ CN$$


$$+$$

3. (12 pts) Fill in the oxidation states in the boxes below each atom indicated. Then, choose whether this atom was oxidized, reduced, or neither.


Above/below each reaction arrow, fill in the reagents that would achieve each transformation.



4. (7 pts) The Grignard reaction below does not produce an equal mixture of diastereomers, despite creating a new chiral center. Circle the diastereomer that you expect to be the major product, and briefly explain your choice.



When the starting material is altered slightly, no reaction is observed. Explain this observation.



5. (12 pts) Using reactions we have discussed in class, propose a synthetic scheme for the overall transformation shown below.