

Fig. 9-1, p. 406





Fig. 9-2, p. 407



@ Brooks/Cole, Cengage Learning

Fig. 9-3, p. 408




Fig. 9-8, p. 414





Fig. 9-6, p. 411








Fig. 9-7, p. 412



le, Cengage Learning Fig. 9-5, p. 410



(a) Lewis structure and bonding of ethylene, C<sub>2</sub>H<sub>4</sub>.

(b) The C—H  $\sigma$  bonds are formed by overlap of C atom  $sp^2$  hybrid orbitals with H atom 1s orbitals. The  $\sigma$  bond between C atoms arises from overlap of  $sp^2$  orbitals.

(c) The carbon-carbon  $\pi$  bond is formed by overlap of an unhybridized 2p orbital on each atom. Note the lack of electron density along the C—C bond axis from this bond.

Fig. 9-10, p. 417





Fig. 9-12, p. 419



 $\sigma$  and  $\pi$  bonding in benzene

@ Brooks/Cole, Cengage Learning

Fig. 9-14, p. 422






Fig. 9-16, p. 424



© Brooks/Cole, Cengage Learning Fig. 9-16, p. 424



© Brooks/Cole, Cengage Learning Fig. 9-17, p. 424




Fig. 9-18, p. 425




Fig. 9-19, p. 426





Fig. 9-20, p. 427



© Brooks/Cole, Cengage Learning Fig. 9-21a, p. 427

